



Yamatho Supply LLC

e-mail: sales@yamathosupply.com

Phone/fax: 610-365-7928 www.yamathosupply.com

Sample Cooler Model	Description	List Price (\$)
ESC-SS	Sample Cooler - 316 SS Continuous Coil Type 304 SS Shell	590.48
ESC-CS	Sample Cooler - 316 SS Continuous Coil Type Steel Shell	590.48

Corporation Stops Model	Description	List Price (\$)
CS-075-PVC	Corporation Stops, 150 psi, wetted material CPVC - Process Connection 3/4" MNPT	187.43
CS-100-PVC	Corporation Stops, 150 psi, wetted material CPVC - Process Connection 1" MNPT	262.86
CS-075-KY	Corporation Stops, 150 psi, wetted material Kynar - Process Connection 3/4" MNPT	297.14
CS-100-KY	Corporation Stops, 150 psi, wetted material Kynar - Process Connection 1" MNPT	323.43
CS-075-SS	Corporation Stops, 150 psi, wetted material 316 SS - Process Connection 3/4" MNPT	282.29
CS-100-SS	Corporation Stops, 150 psi, wetted materia316 SS - Process Connection 1" MNPT	340.95

Injection Quills with Built in Check Valves Model	Description	List Price (\$)
QC-PVC-050	Injection Quill, PVC, 150 psi max. - Ceramic Check, Process Connection 1/2" MNPT	93.71
QC-PVC-075	Injection Quill, PVC, 150 psi max. - Ceramic Check, Process Connection 3/4" MNPT	113.14
QC-PVC-100	Injection Quill, PVC, 150 psi max. - Ceramic Check, Process Connection 1" MNPT	160.00
QC-316-050	Injection Quill, 316 SS, 150 psi max. - Ceramic Check, Process Connection 1/2" MNPT	140.57
QC-316-075	Injection Quill, 316 SS, 150 psi max. - Ceramic Check, Process Connection 3/4" MNPT	168.00
QC-316-100	Injection Quill, 316 SS, 150 psi max. - Ceramic Check, Process Connection 1" MNPT	227.43
QC-KY-050	Injection Quill, KY, 150 psi max. - Ceramic Check, Process Connection 1/2" MNPT	186.29
QC-KY-075	Injection Quill, KY, 150 psi max. - Ceramic Check, Process Connection 3/4" MNPT	205.71
QC-KY-100	Injection Quill, KY, 150 psi max. - Ceramic Check, Process Connection 1" MNPT	274.29

Injection Quills without Check Valves Model	Description	List Price (\$)
QB-PVC-050	Injection Quill, PVC, 150 psi max. Process Connection 1/2" MNPT	84.57
QB-PVC-075	Injection Quill, PVC, 150 psi max. - Process Connection 3/4" MNPT	101.71
QB-PVC-100	Injection Quill, PVC, 150 psi max. - Process Connection 1" MNPT	144.00
QB-316-050	Injection Quill, 316 SS, 150 psi max. - Process Connection 1/2" MNPT	126.10
QB-316-075	Injection Quill, 316 SS 150 psi max. - Process Connection 3/4" MNPT	150.86
QB-316-100	Injection Quill,316 SS, 150 psi max. - Process Connection 1" MNPT	204.57
QB-KY-050	Injection Quill, KY, 150 psi max. - Process Connection 1/2" MNPT	166.86
QB-KY-075	Injection Quill, KY, 150 psi max. - Process Connection 3/4" MNPT	185.14
QB-KY-100	Injection Quill ,KY, 150 psi max. - Process Connection 1" MNPT	246.86

Duplex and High Pressure Injection Quill Model	Description	List Price (\$)
QD-316-050	Duplex Injection Quill, 316 SS, 150 psi max., Process Connection 1/2" MNPT	548.57
QC-075-SS	1/4" Pipe Quill, type 316SS, Process Connection 1/2" MNPT	817.14
QT-316-050	Triplex Injection Quill, 316, 150 psi max, Process Connection 1/4" MNPT	548.57

Standard Corrosion Coupon Racks Model	Description	List Price (\$)
--	--------------------	------------------------

2410-4-Kit-F12	1" PVC, 4 Station Coupon Rack Kit with Flow Regulator	318.10
2410-4-Kit-F12-Clear	1" PVC, 4 Station Coupon Rack Kit with Flow Regulator and Clear PVC piping	441.14
2410-4-F12	1" PVC, 4 Station Coupon Rack with Flow Regulator, pressure tested to 150 psi	475.43
2410-4-F12-MB	1" PVC, 4 Station Coupon Rack with Flow Regulator & Mounting Board, pressure tested to 150psi	588.57
2210-4-F12	1" Black Iron, 4 Station Coupon Rack with Flow Regulator, pressure tested to 150 psi	475.43
2410-4-F12-MB	1" Black Iron, 4 Station Coupon Rack with Flow Regulator & Mounting Board, pressure tested to 150psi	588.57
2510-4-F12	1" 304 SS, 4 Station Coupon Rack with Flow Regulator, pressure tested to 150 psi	1,314.29
2410-4-F12-MB	1" 304 SS, 4 Station Coupon Rack with Flow Regulator, & Mounting Board, pressure tested to 150 psi	1,428.57

High Pressure Corrosion Coupon Rack

Model	Description	List Price (\$)
2610-4-MB	1" High Pressure Black Iron, 4 Station Coupon Rack with mounting Board, pressure tested to 250 psi	754.29

Coupon Holders

Model	Description	List Price (\$)
221500	1" Steel Coupon Holder with, Nylon Hardware, 250 psi max.	22.86
241500	1" PVC Coupon Holder with, Nylon Hardware, 150 psi max.	20.57
251500	1" SS Coupon Holder with, PTFE Hardware, 150 psi max., Type 304 SS	56.57
203100	Retractable Coupon Holder, type 316 SS, 3/4" Proces Connection	226.29

InLine Flow Regulators Nickel Plate Brass Body

Model	Description	List Price (\$)
FR-038-S	3/8" FNPT Flow Regulator, Nickel Plated Brass Body with Buna Rubber Orifice. Flow Rate (GPM) 0.06, 0.13, 0.35, 0.50, 0.75, 1.00	34.10
FR-050-S	1/2" FNPT Flow Regulator, Nickel Plated Brass Body with Buna Rubber Orifice. Flow Rate (GPM) 1.00, 1.50, 2.00, 3.00, 4.00, 4.50, 5.00, 5.50, 6.00	35.71
FR-075-S	3/4" FNPT Flow Regulator, Nickel Plated Brass Body with Buna Rubber Orifice. Flow Rate (GPM) 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.5	43.24
FRY-075-S	3/4" FNPT Flow Regulator, Brass Body with Buna Rubber Orifice. Flow Rate (GPM) 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0	43.24
FR-100-S	1" FNPT Flow Regulator, Nickel Plated Brass Body with Buna Rubber Orifice. Flow Rate (GPM) 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 12, 13.5, 15, 20, 25, 30	88.00
FR-150-S	1 1/2" FNPT Flow Regulator, Zinc Plated Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 12, 13.5, 15, 20, 25, 30	100.90
FR-200-S	2" FNPT Flow Regulator, Zinc Plated Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 12, 13.5, 15, 20, 25, 30	201.90
FR-250-S	2 1/2" FNPT Flow Regulator, Zinc Plated Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90	390.48
FR-300-S	3" FNPT Flow Regulator, Zinc Plated Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120	542.86

InLine Flow Regulators Type 316 Stainless Steel Body

Model	Description	List Price (\$)
FR-038-SS	3/8" FNPT Flow Regulator, Type 316 Stainless Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 0.06, 0.13, 0.35, 0.50, 0.75, 1.00	187.14
FR-050-SS	1/2" FNPT Flow Regulator, Type 316 Stainless Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 1.00, 1.50, 2.00, 3.00, 4.00, 4.50, 5.00, 5.50, 6.00	198.10
FR-075-SS	3/4" FNPT Flow Regulator, Type 316 Stainless Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.5	217.14
FRY-075-SS	3/4" FNPT Flow Regulator, Type 316 Stainless Steel with Buna Rubber Orifice. Flow Rate (GPM) 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0	217.14
FR-100-SS	1" FNPT Flow Regulator, Type 316 Stainless Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 12, 13.5, 15, 20, 25, 30	340.95
FR-125-SS	1 1/4" MNPT Flow Regulator, Type 316 Stainless Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 12, 13.5, 15, 20, 25, 30	352.38
FR-150-SS	1 1/2" MNPT Flow Regulator, Type 316 Stainless Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 12, 13.5, 15, 20, 25, 30	400.00
FR-200-SS	2" FNPT Flow Regulator, Type 316 Stainless Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 12, 13.5, 15, 20, 25, 30	567.62
FR-250-SS	2 1/2" FNPT Flow Regulator, Type 316 Stainless Steel Body with Buna Rubber Orifice. Flow Rate (GPM) 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90	723.81

FR-300-SS	3" FNPT Flow Regulator, Type 316 Stainless Steel with Buna Rubber Orifice. Flow Rate (GPM) 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100, 105, 110, 115, 120	1,219.05
-----------	---	----------

InLine Flow Regulators with PVC body

Model	Description	List Price (\$)
FR-075-PVC	3/4" FNPT Flow Regulator , Nickel Plated Brass Body with Buna Rubber Orifice. Flow Rate (GPM): 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.5	43.24

Glycol Feeder

Model	Description	List Price (\$)
GL-050-E	Glycol Feeder, 50 Gallon with 1.3 GPM@ 100 psi., Pressure Switch and Check Valve	POR
GL-050-E-AA	Glycol Feeder, 50 Gallon with 1.3 GPM@ 100 psi., Pressure Switch, Check Valve and Audible Alarm	POR
GL-050-E-RC	Glycol Feeder, 50 Gallon with 1.3 GPM@ 100 psi., Pressure Switch, Check Valve and Remote Contact	POR
GL-100-E	Glycol Feeder, 100 Gallon with 3.0 GPM@ 100 psi., Pressure Switch and Check Valve	POR
GL-100-E-AA	Glycol Feeder, 100 Gallon with 3.0 GPM@ 100 psi., Pressure Switch, Check Valve and Audible Alarm	POR
GL-100-E-RC	Glycol Feeder, 100 Gallon with 3.0 GPM@ 100 psi., Pressure Switch, Check Valve and Remote Contact	POR

POR; Price Upon Request